

COUNTRY GRASSLAND 2473 ORGANIC

HerbCloverGrass MultiLife



Profile

COUNTRY Grassland 2473 MultiLife is characterised by a broad site suitability as well as high yields and qualities under difficult conditions. A high energy density results from the medium and late Perennial ryegrasses. Herbs and legumes stabilise the mixture, especially in dry conditions. Furthermore the use of chicory and plantain has a positive effect on palatability and nutrient supply.

- ✓ High energy densities through late and medium Perennial ryegrasses
- ✓ Suitable for new sowings and overseeding
- ✓ With herbs like plantain and chicory
- ✓ High protein content



Components

31%	Lolium perenne (late) Rossimonte
30%	Lolium perenne (intermediate) Explosion
20%	Trifolium pratense Harmonie, Milvus
10%	Phleum pratense Lischka
7%	Trifolium repens Abercrest, Liflex
1.5%	Cichorium intybus
0.5%	Plantago lanceolata

Sowing pattern

New sowing, Overseeding

Locations

Dry	<div><div>+</div><div>+</div><div></div></div>
Normal	<div><div>+</div><div>+</div><div>+</div></div>
Wet	<div><div>+</div><div>+</div><div>+</div></div>
Peat Soil	<div><div>+</div><div>+</div><div></div></div>
Altitude	<div><div>+</div><div>+</div><div></div></div>

Usage

Grazing	<div><div>+</div><div>+</div><div></div></div>
Grazing and cutting	<div><div>+</div><div>+</div><div>+</div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>
Extensive usage	<div><div>+</div><div>+</div><div></div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	40 kg/ha
Overseeding	20 - 25 kg/ha
Overseeding, several times per year	7 - 10 kg/ha
Undersowing	7 - 10 kg/ha
Usage per year	4 - 6

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All specified informations, recommendations and representations mentioned here are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG excludes adhesion for damage or claims for damages, resulting of the use for the variety specified in this description. Mixture compositions may change if individual varieties are not available. As of 07/2023. Subject to change without notice.