TERRALIFE® - MAIZEPRO DT Balanced, partly hardy cover crop for maize crop rotations

Profile

MaizePro DT selectively supports the formation of mycorrhiza and improves the soil structure. The intensive root penetration creates new root channels, which help the maize particularly during periods of drought. The hardy components guarantee erosion protection right into spring. After a successful cover crop, the soil only requires working to a depth of the soil horizon receiving the maize seed. In this way, the capillarity is maintained, ensuring water availability for germination.

- ✓ Leaves an optimal soil structure
- ✓ Promotes root penetration
- ✓ Very good N-utilisation



Components

43.7%	Legumes
15.2%	Cruciferous
	Abyssinian cabbage Field nea Crimson clover Linseed Deen-rooted radish Persian

Abyssinian cabbage, Field pea, Crimson clover, Linseed, Deep-rooted radish, Persian clover, Phacelia, Niger, Sunflower, Sorghum, Trifolium repens, Hairy vetch, Winter rye

Sowing pattern

blank seed, mulch sowing, direct sowing, spreader device on tillage implement, drone

Crop rotations

Maize, Cereals, Oilseed rape *



^{*} Observe crop rotation diseases.

Cultivation notes

Sowing rate	40 - 45 kg/ha
Sowing time	from middle of July to end of August
Usage	Cover crop, summer intercrop, winter intercrop, green fertilization, Extensive grazing, normal sowing time, Green fallow mixture, N-Potential: approx. 60 kg/ha, leguminous

All specified informations, recommendations and representations mentioned here are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG excludes adhesion for damage or claims for damages, resulting of the use for the variety specified in this description. Mixture compositions may change if individual varieties are not available. As of 03/2022. Subject to change without notice.

